VERSION 2.0



SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : NO STREAK WINDSHIELD WASHER FLUID CONCENTRATE

Product Use : Windshield Fluid Additive

Restrictions on Use: Only use product as outlined on label

MANUFACTURER OR SUPPLIER'S DETAILS

Company : Power Line Industries, Inc.

Address : 14773 Heritage Crest Way

Riverton, UT 84065

Telephone : 801-545-0777

EMERGENCY TELEPHONE NUMBERS				
For SDS Information	:	Compliance Services 1-866-624-8186		
For a Medical Emergency	:	1-800-222-1222 or DIAL 911		
For a Transportation	:	ChemTel, Inc. 1-800-255-3924		

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communications Standard (GHS – Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Liquid
Color	Blue
Odor	Slight Alcohol Scent

GHS Classification

Flammable Liquids : Category 2
Acute Toxicity (Oral) : Category 3
Acute Toxicity (Inhalation) : Category 3
Acute Toxicity (Dermal) : Category 3
Eye irritation : Category 2A

VERSION 2.0



Specific target organ toxicity –

single exposure

Specific target organ toxicity –

single exposure

: Category 3 (Eyes, Central Nervous System)

: Category 3 (Central Nervous system)

GHS Label Element

Hazard Pictograms









Signal word : Danger

Hazard Statements : H225 Highly flammable liquid and vapour.

H301 + H311 + H331 Toxic if swallowed, in

contact with skin or if inhaled

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

H370 Causes damage to organs (Eyes, Central

nervous system).

Precautionary Statements : **Prevention**:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse



VERSION 2.0

skin with water/ shower. P304 + P340 + P311 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician. P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous Components

Chemical Name	CAS-No.	Concentration [%]
Methyl alcohol (methanol)	67-56-1	90-100

^{*}Any concentration shown as a range is due to batch variation

SECTION 4. FIRST AID MEASURES

General advice: Move out of dangerous area. Consult a physician. Show this

safety data sheet to the doctor in attendance. Do not leave

the victim unattended.

VERSION 2.0



If inhaled : If unconscious place in recovery position and seek medical

advice. If symptoms persist, call a physician. Oxygen or

artificial respiration if needed.

In case of skin contact

In case of eye contact

: If on skin, rinse well with water. If on clothes, remove clothes. If skin irritation persists, call a physician.

: Immediately flush eyes for at least 15 minutes. Get medical attention. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists,

consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic

beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim

immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam

Water spray Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter

drains or water courses

Hazardous combustion

products

Carbon oxides toxic fumes

Specific extinguishing

methods

Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water

separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

separately in closed containments.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for

firefighting if necessary.

VERSION 2.0



NFPA Flammable and Combustible Liquids Classification: Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form

explosive concentrations.

Vapours can accumulate in low areas.

Environmental precautions : Prever

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do

SO.

If the product contaminates rivers and lakes or

drains inform respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with

noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion

Avoid formation of aerosol.

Do not breathe vapours/dust.

For personal protection see section 8. Smoking, eating and drinking should be

prohibited in the application area.

Take precautionary measures against static discharges. Provide sufficient air exchange

and/or exhaust in work rooms.

Container may be opened only under exhaust

ventilation hood.

VERSION 2.0



Open drum carefully as content may be under

pressure.

Dispose of rinse water in accordance with local

and national regulations.

Advice on safe handling : Avoid formation of aerosol. Do not breathe

vapours/dust. For personal protection see section

8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance

with local and national regulations.

Conditions for safe

storage

No smoking. Keep container tightly closed in a

dry and well ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions. Electrical installations

/ working materials must comply with the

technological safety standards.

Materials to avoid : Keep away from oxidizing agents and strongly

acid or alkaline materials.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

CAS-No. Components		Value type (form of exposure)	Control parameters / Permissible concentration	Basis	
67-56-1 Metha	Methanol	TWA	200 ppm	ACGIH	
		STEL	250 ppm	ACGIH	
		TWA	200 ppm 260 mg/m3	NIOSH REL	
		ST	250 ppm 325 mg/m3	NIOSH REL	
		TWA	200 ppm 260 mg/m3	OSHA Z-1	
		STEL	250 ppm 325 mg/m3	OSHA P0	
		TWA	200 ppm 260 mg/m3	OSHA P0	

VERSION 2.0



Personal protective equipment

Respiratory protection: General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown or any other circumstance where air purifying

respirators may not provide adequate protection.

Hand protection

remarks

: The suitability for a specific workplace should be

discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal

processing problems.

Skin and body protection

: Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work

place.

Hygiene measures : Avoid contact with skin, eyes and clothing.

When using do not eat, drink or smoke.

When using do not smoke.

Wash hands before breaks and at the end of the work

day.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : blue

Odor : Slight alcohol scent

Odor Threshold : 4.2-5960 ppm

POWER LINEUSA
REVISION DATE 12/06/2017

VERSION 2.0

pH : No data available

Melting point/freezing point : -144.0 -0-143.7° F

Boiling point : 148.5 °F

Flash point : 52° F

Evaporation rate : 4.1 (Butyl Acetate =1)

Flammability (solid, gas) : No data available

Upper explosion limit : 36.5% (V)

Lower explosion limit : 5.5% (V)

Vapor pressure : 96.00 mmHg

Relative vapor density : $1.1 @ 20^{\circ} C (68^{\circ}F) (Air = 1.0)$

Relative density : .0791 – 0.793 @ 20° C (68°F)

Reference Substance: (water=1)

Density : 0.792 g/cm3 @ 20° C (68°F)

Solubility(ies)

Water Solubility : Completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: Log Pow: 0.82

Auto-ignition temperature : 464 ° C

Thermal decomposition : No data available

Viscosity : 0.8 mPa.s @ 25° C (77° F)

Viscosity, kinematic

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under

conditions of normal use.

Chemical stability : Stable under normal conditions

VERSION 2.0



Possibility of hazardous

reactions

Vapors may form explosive mixture with air.

Conditions to avoid Keep away from heat, flame, sparks and other

> ignition sources Exposure to moisture

Incompatible materials Acids

Alkali metals

Alkalis

Oxidizing agents Reducing agents

Hazardous decomposition

products

Carbon oxides Formaldehyde

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity Acute toxicity estimate: 101.01 mg/kg : Acute toxicity estimate 3.03 mg/l Acute inhalation

toxicity

Exposure time: 4h

Test atmosphere: vapour

Acute dermal

toxicity

: Acute toxicity estimate: 303.03 mg/kg

Components

67-56-1:

Acute oral toxicity : LDLo (Humans): 143 mg/kg

Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation

toxicity

: Assessment: The component/mixture is toxic after short term

inhalation.

Remarks: Supporting toxicological evidenced is limited for this

classification. This harmonized classification will replace the indicated

classification due to industry leaders and the EU Harmonized

Classification (Annex VII)>

Acute dermal

: LDLo (Monkey): 393 mg/kg

toxicity

Assessment: The component/mixture is toxic after single contact with

skin.

VERSION 2.0



Carcinogenicity

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH

STOT - Single Exposure

Components:

67-56-1

Target organs: Eyes, Central nervous system

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure,

category 1.

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Partition coefficient: n-octanol/water : Remarks: no data available

Mobility in soil

No data available

Other adverse effects

VERSION 2.0



Product: Ozone Depletion Potential

Regulation : 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone – CAA Section 602 Class I

Substances

Remarks : This product neither contrains, nor was manufactured with

a Class I or Class II ODS as defined by the U.S. Clean Air

Act Section 602 (40 CFR 82, kSubpt. A, App. A + B).

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into water

Contaminated packaging : Empty containers should be taken to an

approved waste handling site for recycling or

disposal.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association):

UN1230, METHANOL, 3 (6.1), II, Flash Point:11 °C(52 °F)

IMDG (International Maritime Dangerous Goods):

UN1230, METHANOL, 3, (6.1), II

DOT (Department of Transportation):

UN1230, Methanol, 3, II

VERSION 2.0



SECTION 15. REGULATORY INFORMATION

WHMIS Classification : B2: Flammable liquid

D2B: Toxic Material Causing

other Toxic Effets

EPCRA – Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components CAS-No Component RQ (lbs) Calculated product RQ (lbs)

Methanol 67-56-1 5000 5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Immediate (Acute) Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to

the reporting requirements of SARA Title III, Section

302.

SARA 313 : SARA 313: This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61): 67-56-1 METHANOL

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(4) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or final VOC's (40 CFR 60.489)): 67-56-1 METHANOL

Clean Water Act

The product does not contain any Hazardous Substances listed under the U.S. Clean Water Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S Clean water Act Section 307

US State Regulations

Massachusetts Right to Know : 67-56-1 Methanol 90-100%

Pennsylvania Right to Know : 67-56-1 Methanol 90-100%

VERSION 2.0



New Jersey Right to Know : 67-56-1 Methanol 90-100%

California Prop 65 : WARNING! This product contains a chemical known to

the state of California to cause birth defects or other

reproductive harm. 67-56-1 Methanol

The components of this product are reported in the following inventories:


TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL.
AICS	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory
PHIL	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IESCS (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1= slight 2= moderate, 3 = high 4= extreme, * = chronic

VERSION 2.0



OSHA GHS Label Information:

Hazard Pictograms









Signal Word : **Danger:**

Highly flammable liquid and vapour.

Toxic if swallowed, in contact with skin or if inhaled

Causes serious eye irritation

May cause drowsiness or dizziness

Causes damage to organs (Eyes, Central nervous

system).

Precautionary Statements

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools.\ Take precautionary measures against static discharge.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician.

IF exposed: Call a POISON CENTER or doctor/physician.

Wash contaminated clothing before reuse In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.



Storage:

Store in a well-ventilated place. Keep container tightly closed
Store in a well-ventilated place. Keep cool
Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting the manufacturer, supplier or distributor.